

**NEXTORCH®**  
the smart light

**NEXTORCH®**  
the smart light

FLASHLIGHT CATALOG  WWW.NEXTORCH.COM

NEXTORCH®  
61 Yudong 1st Road, Dongcheng, Yangdong,  
Yangjiang, Guangdong, China 529931  
FAX: +86-662-6602218  
EMAIL: [info@nextorch.com](mailto:info@nextorch.com)  
WEBSITE: [www.nextorch.com](http://www.nextorch.com)



CONTACT WITH NEXTORCH® DESIGNER

**2017**  
**FLASHLIGHT**  
CATALOG

# ICONS



**STT (Smart Torch Technology)**  
PC programmable technology that allows users set infinite modes personally to fit different needs



**USB RECHARGEABLE**  
Convenient and universal charging option



**DUO SWITCH**  
Tap for Momentary On, double tap for Tactical Strobe. Click for Constant On, then tap to cycle through modes



**Vari-Source**  
Compatible with various battery types



**360° Rotate Focus**  
Simple rotation can set the beam a desired focus for your needs



**Tactical Strobe**  
Designed to gain the tactical advantage, a 9Hz frequency strobe is the most effective



**OSS (One Step Strobe)**  
Proprietary switch design to engage strobe instantly



**S.O.S.**  
Standard S.O.S. signal for emergency use



**Dual-Light**  
2-in-1 design which allows 2 full size LEDs sharing 1 reflector to form full beam via each led



**Quick Charge**  
4x speed while charging the proprietary battery pack



**Fuel Index**  
Low battery warning and charging indication



**Aiming laser**  
Visible laser for marking location



**Nano-Ceramic breaching bezel**  
Specially hardened, efficiently shatters car windows



NEXTORCH® designs and produces superior flashlights and other high-end portable lighting solutions. Delivering reliable and powerful lighting with top-notch customer service is our pride and passion.

Since our inception in 2005, we continue to be the ultimate solution in illumination for law enforcement, security, tactical, hunting, outdoor activities and personal use. Our customers, industry and government bodies, as well as media worldwide, recognize and acknowledge our brand as the most reliable and innovative on the market.

The NEXTORCH® range of flashlights are distributed in over 100 countries and keep expanding. NEXTORCH® lights are used by law enforcement officers, outdoor enthusiasts, hunters, explorers, industry professionals, do-it-yourselfers and families like yours and ours. Simply put, NEXTORCH® delivers the most advanced lighting technology, battery efficiency and reliability. Our products are innovative, compact, sleek and intelligent - in other words, NEXTORCH® is the lighting solution that works.

# CONTENTS

SAINTTORCH-SERIES .....	04-05
SAINTTORCH10 .....	04
SAINTTORCH3 .....	05
SAINTTORCH1 .....	05
T&P-SERIES .....	06-13
TA30 .....	06
TA15 .....	07
TA40 .....	08
TA10 .....	08
TA5 .....	09
P&S .....	09
P5 DUAL LIGHT .....	10-11
PSG .....	10
PSR .....	10
PSB .....	10
PSW .....	11
PSIR .....	11
PSUV .....	11
TA4 .....	12
T6A .....	12
WL10X EXECUTOR .....	13
myTorch S-SERIES .....	14-15
myTorch S18550 .....	14
myTorch S XL .....	14
myTorch S AA .....	15
myTorch S 2AA .....	15
myTorch S 3AAA .....	15
S-SERIES .....	16-21
GL20 Laser .....	16
UL360 .....	17
UL10 .....	18
K3T .....	18
K2 .....	19
Dr K3 .....	20
K3 .....	20
GL10 .....	21
K10K20 .....	21
H-SERIES .....	22-25
myStar .....	22
Duo Star .....	23
Viker Star .....	23
Trek Star .....	24
Eco Star .....	24
Trek Star UV .....	25
Eco StarUV .....	25
B-SERIES .....	26
B10 .....	26
GLO-TOOB .....	27
GT-AAA .....	27
GT-AAA Pro .....	27
GT-LITHIUM .....	27
GT-LITHIUM IR .....	27
GT-TACTICAL KIT .....	27
HUNTING SET .....	28-29
PSG SET .....	28
P&S SET .....	28
TA40 Rechargeable Set .....	29
T&L SET .....	29
T&G SET .....	29
ACCESSORIES .....	30-31
DISPLAYS .....	32-33

## SAINT TORCH SERIES

NEXTORCH's flagship search lights, known for being ergonomically-handling, reliable, and ultra-bright. Designed for rescue, exploration, patrol and maintenance, SAINT TORCH is the pro's choice.

## SAINT TORCH 10

3200 Lumen High Output Rechargeable Search Torch



Saint Torch 10 is a turbo-power outdoors search light, using 1 CREE® XHP70 LED to deliver a power beam of up to 3200 lumens. A 10400mAh high capacity re-chargeable battery pack supports this extra high endurance tool to deliver 120 hours of light. 16.8V DC direct quick charge design, just 4 hours charging time.



FEATURES

- DC direct quick charge design
- LED battery indicator
- Patented DUO SWITCH, single switch for easy momentary activation or mode switching
- Comes with a shoulder strap for long term carrying



3200  
LUMENS

LED:	CREE® XHP 70 LED
Mode:	3200m / 1650m / 450m / 65m / strobe / S.O.S.
Runtime:	3h20min / 5h10min / 18h / 120h / -
Beam distance:	470m / 1542'
Water resistance:	IPX-7 (1m)
Impact resistance:	1m / 3.28'
Battery:	Built-in Rechargeable Battery Pack (Included)
Dimensions:	196mm * 85mm * 52mm
Weight:	667g / 23.53oz (with battery)

## SAINT TORCH 3

2600 Lumen High Output USB Rechargeable Search Torch



SAINT TORCH 3 is a turbo-power outdoors searching flashlight, using 3 CREE® XM-L2 U2 LED to deliver a power beam of up to 2600 lumens, a wide beam for maximum close-range coverage and up to 445m beam distance for searching capacity. A 10400mAh high capacity re-chargeable battery pack supports this extra high endurance tool to deliver more than 15 days of light. SAINT TORCH 3 is your best choice for scouting, extended searching, patrol and rescue, and as an extra light for the car.



FEATURES

- 2600 lumen high output, 445 meter beam distance
- USB / DC direct rechargeable
- 6 modes pre-set, including strobe and S.O.S.
- Smart Torch Technology (STT), PC programmable with unlimited modes



2600  
LUMENS



LED:	CREE® XM-L2 U2
Mode:	2600m / 1300m / 240m / strobe / S.O.S.
Runtime:	150min / 5h / 12h / - / -
Beam distance:	445m / 1462'
Water resistance:	IPX-7 (1m)
Impact resistance:	1m / 3.28'
Battery:	Built-in Rechargeable Battery Pack (Included)
Dimensions:	177mm * 62mm * 48mm
Weight:	676 g / 23.66 oz (with battery)

## SAINT TORCH 1

1000 Lumen 640 Meter Ultra-Throw USB Rechargeable Flashlight



The Saint Torch 1 is an ultra-throw outdoor searching flashlight, using a single CREE® XM-L2 U2 LED, delivering up to 1000 lumens. The reflector is super-powered, letting its beam extend as far as 640 meters, allowing your search light to go further. The Saint Torch 1 is rechargeable via direct DC electrical connection or USB cable. The Saint Torch 1 comes with a shoulder strap that lets you affix the flashlight to your waist to free up your hands.



FEATURES

- Max output up to 1000 lumens and throw beam up to 640 meters
- USB / DC direct rechargeable, comes with 18650 lithium-ion batteries for up to 1000 hours runtime
- Runs on one to four 18650
- 7 modes pre-set, including strobe and S.O.S.
- DUO SWITCH with 'click and tap' functions for easy momentary activation or mode switching



1000  
LUMENS

LED:	CREE® XM-L2 U2
Mode:	1000m / 550m / 110m / 15m / strobe / S.O.S.
Runtime:	5h8min / 22h50min / 68h20min / 500h / -
Beam distance:	640m / 2100'
Water resistance:	IPX-7 (1m)
Impact resistance:	1m / 3.28'
Battery:	4*18650 (Included)
Dimensions:	195mm * 75.5mm * 50mm
Weight:	486g / 17.21oz (without battery)

# T&P-SERIES

People who put themselves in the harm's way, must have a 24/7 partner at night, in the dark. It is their very duty to protect and safeguard others, thus they deserve to be protected. NEXTORCH® Duty series offers a reliable yet cost effective low- light solution. From critical installation, private homes, industrial plants to public streets, T&P Series is the 24/7 partner you can trust.



## TA30

Ultra Bright One Step Strobe Tactical Flashlight



1100  
LUMENS

TA30 brings the tactical carry flash-light to a new high level. The TA30 incorporates a rotating function selector which offers a wide range of light settings that meet full mission spectrum, single hand only. A silent tail cap switch which gives back positive control feedback, can offers both momentary and strobe feature. The NEXTORCH® proprietary Nano-ceramic breach bezel carried over from TA5 executes efficient breaching against all windows. TA30 has passed 2 meter waterproof test and 2 meter drop safe test, fires a stunning beam of 1100lm.

### FEATURES

- \* Patented One Step Strobe technology: light tap for momentary on, or press hard for tactical strobe(10Hz)
- \* Proprietary magnetic 5 position rotating selector: TAC(momentary/strobe at 1100lm), Low(30m), Medium(160m), High(1100m), S.O.S.(180m)
- \* Specially hardened NANO-Ceramic breach bezel, effectively break glasses



Nano-ceramic breaching bezel



LED:	CREE® XP-L V6 LED
Mode:	1100lm / 160lm / 15m / strobe / S.O.S.
Runtime:	5h40min / 5h / 22h / - / -
Beam distance:	240m / 175' ±
Water resistance:	IPX-8 (2m)
Impact resistance:	2m / 6.5ft
Battery:	1* 18500 / 2*CR123A (included)
Dimensions:	125mm * 30mm * 23mm
Weight:	90g / 3.17oz (without battery)

600  
LUMENS

## TA15

High Output Multiple Battery Compatible Tactical backup



TA15 shares most of TA30 design other than chambers a completely different battery option. Instead of 18500, the NEXTORCH® Vari-Source technology allows TA15 takes a number of different batteries, including CR123A, AA, AAA, 10440, 14500, 16340. TA15 also incorporates a rotating function selector which offers a wide range of light settings that meet full mission spectrum, single hand only. A silent tail cap switch which gives back positive control feedback, can offers both momentary and strobe feature. The NEXTORCH® proprietary Nano-ceramic breach bezel carried over from TA5 executes efficient breaching against all windows.

### FEATURES

- \* Vari-Source Technology, compatible with AAA/AA/CR123A/10440/14500/16340
- \* Patented One Step Strobe technology: light tap for momentary on, or press hard for tactical strobe(10Hz)
- \* Specially hardened NANO-Ceramic breach bezel, effectively break glasses



LED:	CREE® XP-L V6 LED
Mode:	600lm / 240m / 50m / strobe / S.O.S.
Runtime:	40min / 1h / 2h10min / - / -
Beam distance:	150m / 492' ±
Water resistance:	IPX-8 (2m)
Impact resistance:	2m / 6.5ft
Battery:	1* 14500 / 6340 / 10440 / CR123A / AA / AAA
Dimensions:	127mm * 30mm * 22mm
Weight:	90g / 3.17oz (without battery)

Var-Source Battery Compatibility Technology  
Compatible with: 14500 / 16340 / 10440 / CR123A/AA/AAA

## TA40

## 1040 Lumen Ultra Bright Tactical Flashlight



Equipped with DUO SWITCH, the TA40 has multiple modes to fit with various applications. A max output of 1040 lumens drives a stunning force of illumination and control. Powered by 1x 18650 or 2x CR123A, TA40 has a direct USB charging port which can also act as a remote plug-in.



## FEATURES

- \* Cree® XM-L2 U2 LED emitter, max output 1040 lumens
- Powered by 1x 18650 or 2x CR123A

DUO SWITCH multi-purpose technology operates in 7 light modes, plus Tactical Strobe and an S.O.S.

## FLI STANDARDS



LED:	Cree® XM-L2 U2
Mode:	1040lm / 530lm / 250lm / 80lm / strobe / S.O.S.
Runtime:	1h / 1h30min / 3h / 10h / -
Beam distance:	285m / 935.04'
Water resistance:	IPX-8 (2m)
Impact resistance:	3m / 9.84'
Battery:	2*CR123A (Included) / 1*18650
Dimensions:	147mm * 34mm * 25.4mm
Weight:	124g / 4.37oz (without battery)

## TA10

## Vari-Source High Output Backup



TA10 is one of its kind backup. The unique Vari-Source technology makes it compatible to almost all battery available on the market, which will largely increase the survivability and bring light and hope in case of emergency. DUO SWITCH fulfill multi-purpose application, including a Tactical Strobe mode activated through double tap activities.



Vari-Source Battery Compatibility Technology  
Compatible with: 14000/10300/10400/CR123A/AAA/AA



2015 Outdoor Gold Award

## FEATURES

- \* Multi-battery design, compatible with AA / CR123A / 14500 / 18340 etc. batteries
- Light and handy design for one-hand use
- Patented DUO SWITCH, single switch for easy momentary activation or mode switching

## FLI STANDARDS



LED:	Cree® XP-L V5
Mode:	560lm / 215lm / 30lm / strobe / S.O.S.
Runtime:	50min / 1h45min / 8h30min / -
Beam distance:	170m / 557.7'
Water resistance:	IPX-8 (2m)
Impact resistance:	1.5m / 4.92'
Battery:	1*14500 (not included)
Dimensions:	122mm * 29.2mm * 22mm
Weight:	89g / 3.14oz (without battery)

## TA5

## High Output Rechargeable One Step Tactical Breaching Partner



TA5 features a NEXTORCH® proprietary OSS tail cap that enables literally a One-Step-Strobe activation of Tactical Strobe at 900lm for effective self-defense and signaling. A constant-onside switch is located in the front for primary uses. The low-profile Nano-Ceramic rescue bezel shatters glass extraordinarily yet maintains garment and skin safe. A hidden USB charging port is designed for direct charging while using 18650, while CR123A is also compatible.



- \* OSS (One Step Strobe)
- \* Front Primary Switch With LED Indicator
- \* VS Tactical Hooker Available
- \* One-Step Strobe/OSS tail cap with Tactical Strobe mode
- \* A constant on front switch selects from 3 light setting, and a hidden S.O.S. mode
- \* OSS is 900lm only and overrides the current mode
- \* Low-profile Nano-Ceramic rescue & breaching system
- \* Direct USB charging port with indication
- \* Powered by 1\* 18650 or 2\* CR123A

## FEATURES



## PA5

## 360° Rotate Focus Adjustable USB Rechargeable Flashlight



There is always a time where a quick shift of focus is needed. With the new NEXTORCH® RFA technology on board, PA5 offers a smooth transition of focus with a simple rotation, and a best in class beam spot. DUO SWITCH enables PA5 to quick mode shift. PA5 runs with 1x 18650 or 2x CR123A, and comes with low-profile web-hidden USB charging port with indicator.



NEXTORCH® Patented Fresnel Lens  
USB direct charging port

## FEATURES

- \* Cree® XP-L Neutral White Light LED emitter, max output 660 lumens
- Powered by 1x 18650 or 2x CR123A
- DUO Switch multi-purpose technology operates in 2 modes, plus Tactical Strobe and an S.O.S.
- USB Charging Port with LED indicator



## FLI STANDARDS



## FLI STANDARDS



## TA5

LED:	Cree® XP-L V5
Mode:	900lm / 230lm / 9lm / strobe / S.O.S.
Runtime:	3h04min / 6h42min / 160h / -
Beam distance:	224m / 734.9'
Water resistance:	IPX-7 (1m)
Impact resistance:	2m / 6.56'
Battery:	2*CR123A (included) / 1*18650 (included)
Dimensions:	167mm * 38.4mm * 26.5mm
Weight:	170g / 6.03oz (without battery)

## TA5

LED:	Cree® XP-L Neutral White Light LED
Mode:	660lm / 30lm / strobe / S.O.S.
Runtime:	3h64min / 32h / - / -
Beam distance:	220m / 721.8'
Water resistance:	IPX-4
Impact resistance:	1m / 3.28'
Battery:	2*CR123A / 1*18650 (included)
Dimensions:	146mm * 34mm * 26mm
Weight:	147g / 5.19oz (without battery)

Hunting

Tactical

Rescue

Law enforcement

## P5 DUAL-LIGHT

### Why it win RED DOT?



NEXTORCH® has finally come out an answer to combine 2 light into 1. P5 Dual-Light features NEXTORCH® proprietary Dual-Light technology, emitting a 800 lumen white light and a high output color light. Runs with 1x 18650 or 2x CR123A, with easy selection of modes via DUO SWITCH. It also features a well-covered low-profile USB direct charging port.

#### FEATURES

- \* Dual-Light White Light max output at 800 lumens
- \* Powered by 1x 18650 or 2x CR123A
- \* DUO SWITCH multi-purpose technology operates in 2 modes, plus Tactical Strobe and an S.O.S.
- \* USB Charging Port with LED indicator



reddot award 2016  
winner



**P5G**

White LED: 800 LM  
Green LED: 200 LM

**P5R**

White LED: 800 LM  
Red LED: 131 LM

**P5B**

White LED: 800 LM  
Blue LED: 80 LM



reddot award 2016  
winner



**P5W**

White LED: 800 LM  
Warm White LED: 365 LM

**P5IR**

White LED: 800 LM  
IR LED: 500 mW

**P5UV**

White LED: 800 LM  
UV LED: 1000 mW

	P5G	P5R	P5B	P5W	P5IR	P5UV
LED :	CREE® XP-L V5 LED / XP-E2 Green LED	CREE® XP-L V5 LED / XP-E2 Blue LED	CREE® XP-L V5 LED / XP-E2 Blue LED	CREE® XP-L V5 LED / XP-E2 Warm White LED	CREE® XP-L V5 LED / XP-E2 Infrared Ray LED	CREE® XP-L V5 LED / XP-E2 Ultraviolet Ray LED
Mode :	800lm / 45lm / strobe / S.O.S. / 200m	800lm / 45lm / strobe / S.O.S. / 131lm	800lm / 45lm / strobe / S.O.S. / 80lm	800lm / 45lm / strobe / S.O.S. / 365m	800lm / 45lm / strobe / S.O.S. / 500mw	800lm / 45lm / strobe / S.O.S. / 1000mw
Runtime :	3h38min / 27h / - / - / 5h01min	3h38min / 27h / - / - / 5h01min	3h38min / 27h / - / - / 5h01min	3h38min / 27h / - / - / 4h45min	3h38min / 27h / - / - / 5h01min	3h38min / 27h / - / - / 5h01min
Beam distance :	249m / 801'1"					
Water resistance :	IPX4					
Impact resistance :	1m / 3.28'					
Battery :	1 * 18650					
Dimensions :	168mm * 43mm * 25mm					
Weight :	165g / 0.53oz (without battery)					

## TA4

### 460 Lumen High Performance USB Rechargeable Flashlight



The high-performance TA4 utilizes the CREE® XP-G2 R5 LED to deliver up to 460 lumens. Rechargeable via USB cable, powered by the 18650 lithium-ion battery. Made of indestructible MIL-Specs grade 1" aluminum body, waterproof up to 2 meters and impact resistance up to 3 meters, the TA4 is able to withstand a wide variety of adverse environments.



460  
LUMENS

- FEATURES**
- \* Max output up to 460 lumens
  - \* USB Rechargeable
  - \* One 18650 li-ion rechargeable battery with USB cable (included)
  - \* DUO SWITCH with "Click and tap" function for easy momentary activation or mode switching

**FLI STANDARD**



LED :	CREE® XP-G2 R5 LED
Mode :	460lm / 200lm / 100lm / 20lm / strobe / S.O.S.
Runtime :	1h20min / 2h40min / 9h50min / 50h / -
Beam distance :	271m / 889'11"
Water resistance :	IPX-8 (8m)
Impact resistance :	3m / 9.84'
Battery :	1*18650 (included) / 2*CR123A
Dimensions :	147mm * 34mm * 25.4mm
Weight :	124g / 4.37oz (without battery)

## T6A

### High Output Xenon Tactical Flashlight

The best-selling NEXTORCH® T6A features an anti-roll structure, 80 lumen output, aero-space grade aluminum body with a hard anodized finish, tactical momentary on switch and a wide range of accessories.



L66 R5 (220Lumens)  
LED bulb available



80  
LUMENS

- FEATURES**
- \* Ultra bright xenon incandescent bulb, LED bulb available
  - \* Supreme color rendering and strong penetration
  - \* Anti-roll, IPX8 (10m) water-proof standard

**FLI STANDARD**



LED :	Xenon Incandescent
Mode :	80lm
Runtime :	1h
Beam distance :	144m / 472.32'
Water resistance :	IPX-8 (10m)
Impact resistance :	2*CR123A (Included)
Battery :	120mm * 25mm * 34mm
Weight :	134g / 4.69oz (without battery)



## WL10X EXECUTOR

### Single CR123A High Output Weapon Light

The all new Executor features an easy mounting solution, an adjustable rail fitting block and a powerful CREE® XP-G2 R5 LED emitter that runs on single CR123A battery. Executor throws 230 lumens close quarter combat lighting and remains a very slick compact body that blends with the handgun. The ambidextrous Bi-Paddle trigger is ergonomically designed and adapts to all tactical situations with a slight momentary and a click constant setting. Front opening makes it easy to change battery.

**FEATURES**

- \* Ambidextrous trigger operation
- \* Easy clip mounting
- \* Adjustable rail block fits most rail models
- \* Front opening battery case for easy retail
- \* Rugged and compact size

WL10X is compatible with the following models but not limited to:

Glock	SIG	Smith&Wesson	Fabrique Nationale	Springfield
Glock 17	P226	MAP9	FNP	XCM
Glock 19	P229	MAP40	FNX	


**FLI STANDARD**



230  
LUMENS

LED :	CREE® XP-G2 R5 LED
Mode :	230lm
Runtime :	80min
Beam distance :	130m / 426.51'
Water resistance :	IPX-7 (1m)
Impact resistance :	1m / 3.28'
Battery :	1 * CR123A (Included)
Dimensions :	86.7mm * 37.8mm * 24mm
Weight :	97g / 3.42oz (without battery)

# myTorch S

**NEXTUNER** 

NEXTUNER is the specialized software driving the Smart Torch Technology (STT), created by our product development team. Connecting the flashlight to your computer by data cable, and using the NEXTUNER application downloaded to your computer, you can freely program your own modes, with personalized brightness level, strobe and signal function, infinite possibilities and combinations.

## myTorch S 18650/XL

Ultra Bright USB Rechargeable Smart Torch



FEATURES

- \* USB Rechargeable
- \* Smart Torch Technology (STT),
- \* PC programmable technology that allows users set infinite modes personally to fit different needs



myTorch S 18650

**660**  
LUMENS



myTorch S XL

Brighter, longer runtime, perfect size for patrol

**860**  
LUMENS

FLI STANDARD myTorch S 18650



FLI STANDARD myTorch S XL



	myTorch S 18650	myTorch S XL
LED:	CREE® XM-L2 U2	CREE® XM-L2 U2
Mode:	660lm / 330lm / 2m / strobe	860lm / 430lm / 2m / strobe
Runtime:	1h10min / 2h20min / 110h / —	2h / 4h / 35h / 200h / —
Beam distance:	178m / 563.9'	210m / 688.9'
Water resistance:	IPX-7 (1m)	IPX-7 (1m)
Impact resistance:	1m / 3.28'	1m / 3.28'
Battery:	1*18650 (included)	2*18650 batteries pack (included)
Dimensions:	154mm * 36mm * 26mm	229mm * 38.5mm * 26mm
Weight:	136g / 4.80oz (without battery)	212g / 7.48oz (without battery)

## myTorch S AA

Lightweight USB Rechargeable LED EDC Flashlight

FEATURES

- \* 4 modes preset with Smart Memory Mode technology including strobe
- \* Smart Torch Technology (STT), PC programmable with unlimited modes
- \* Compatible with non-rechargeable alkaline batteries or rechargeable Ni-MH batteries
- \* USB Rechargeable (when using Ni-MH battery)

FLI STANDARD



**130**  
LUMENS

## myTorch S 2AA

Lightweight USB Rechargeable LED Outdoor Flashlight

FEATURES

- \* 4 modes preset with Smart Memory Mode technology
- \* Smart Torch Technology (STT), PC programmable with unlimited modes
- \* Compatible with non-rechargeable alkaline batteries or rechargeable Ni-MH batteries
- \* USB Rechargeable (when using Ni-MH batteries)

FLI STANDARD



**235**  
LUMENS

## myTorch S 3AAA

Lightweight USB Rechargeable LED Outdoor Flashlight

FEATURES

- \* Max output up to 300 lumens
- \* 4 modes preset with Smart Memory Mode technology including strobe
- \* Smart Torch Technology (STT), PC programmable with unlimited modes
- \* Compatible with non-rechargeable alkaline batteries or rechargeable Ni-MH batteries
- \* USB Rechargeable (when using Ni-MH batteries)

FLI STANDARD



**300**  
LUMENS

	myTorch AA	myTorch 2 AA	myTorch 3 AAAA
LED:	CREE® XP-G2 R5	CREE® XP-G2 R5	CREE® XM-L T5
Mode:	130lm / 65lm / 2m / strobe	235lm / 120lm / 2m / strobe	300lm / 150lm / 2m / strobe
Runtime:	1h / 2h / 30h / -	1h10min / 2h / 55h / -	2h30min / 5h / 55h / -
Beam distance:	81m / 265.7'	110m / 360.8'	140m / 459.3'
Water resistance:	IPX-7 (1m)	IPX-7 (1m)	IPX-7 (1m)
Impact resistance:	1m / 3.28'	1m / 3.28'	1m / 3.28'
Battery:	1*Alkaline AA (included) or 1*Ni-MH AA	2*Alkaline AA (included) or 2*Ni-MH AA	3*Alkaline AAAA (included) or 3*Ni-MH AAAA
Dimensions:	120mm * 26.4mm * 19.2mm	170mm * 26.4mm * 19.2mm	148mm * 36mm * 27.6mm
Weight:	56g / 1.97oz (without battery)	72g / 2.54oz (without battery)	136g / 4.80oz (without battery)



# S-SERIES

S-Series is NEXTORCH's compact sized, stylish Every Day Carry type of illumination



## GL20 Laser Keychain Light Laser Combo



GL20 is a whole new kind of keychain light. The concept of GL20 is having a visible laser integrated in a light while still maintain a small and lightweight package. This design is extremely helpful to people do a lot of designation work. GL20 has a built-in Li-ion battery pack and weight only 47 grams overall. GL20 also comes with a low battery indicator, charges through micro USB cable.



3 Colors Available



60  
LUMENS

### FEATURES

- Keychain LED light and Laser combo
- Compact and lightweight
- Powered by one built-in high volume rechargeable Li-ion battery
- Micro USB rechargeable, built-in LED low battery indicator



LED :	Nichia® 5mm LED
Mode :	60lm / 4lm / S.O.S. / +0.9mW(Laser)
Runtime :	1h / 10h / - / 10h
Beam distance :	19m / 62.3'
Water resistance :	IPX-4
Impact resistance :	1m / 3.28'
Battery :	Built-in Rechargeable Li-ion battery
Dimensions :	60.3mm * 33mm * 11.5mm
Weight :	16.3g / 0.57oz (with battery)



## UL360

### 360° Utility Pocket Lantern

UL360 is named "Pocket Lantern" since it fits in the palm and can be carried in the pocket. This little thing is powered by single AA battery that can light up to 70 lumens, can light up a 5m<sup>2</sup> area. Pocket Lantern can stand up and rotate 360 degrees to point an desired angle for comfortable lighting. Most interesting of all, Pocket Lantern comes with a magnetic bottom plate, a bungee cord and a S-Biner, which offer countless mounting option that makes UL360 fit in almost everywhere. UL360 Pocket Lantern is truly an handy illumination device which is perfect for EDC carry, outdoor camping and emergency light source.

70  
LUMENS

### FEATURES


- \* Tiny and compact, thumb sized only
- \* 360 degree rotatable Lamp body design
- \* Magnetic Body design, with S-Biner and elastic strap supporting multi-function quick attach



2016 ISPO AWARD

LED :	CREE® XP-G2 RS NEUTRAL WHITE LED
Mode :	70lm / 10lm
Runtime :	3h20min / 30h
Beam distance :	5m / 16.4'
Water resistance :	IPX-6
Impact resistance :	1m / 3.28'
Battery :	1*AA (Included)
Dimensions :	70mm * 34mm * 21mm
Weight :	40g / 1.41oz (without battery)


Cap



MOLLE



Webbing gears



## UL10

### Compact Multi-Purpose Clip Light

S.B.S.

The most versatile light is here. The UL10 is a 65lm utility light which rides on a multi-purpose clip mount. The light can be mounted virtually anywhere: baseball caps, shoulder straps, pocket edges, webbing gears, belts... anywhere you can think of. Once set it can adjust 180 degrees or flip sides if needed. Runs on 2 AAA batteries and weighs only 47 gram (battery included). UL10 is a convenient light that will fit all sorts of tasks.

FEATURES

- \* 3 High performance Nichia LED, max output 70 lumens
- \* Multi-purpose clip mount, mounts onto caps, pocket edges, any straps and, MOLLE webbing gears etc.
- \* 180 degree, easy flip-and-hold lighting
- \* Ultra-lightweight, overall weight is 47 gram (battery included)
- \* Interchangeable with ECO Star



65 LUMENS

LED :	Nichia <sup>®</sup> 5mm LED
Mode :	65lm / 7m / S.O.S.
Runtime :	3h30min / 40h / -
Beam distance :	18m / 59.1'
Water resistance :	IPX-4
Impact resistance :	1m/3.28'
Battery :	2*AAA(Included)
Dimensions :	33mm * 48mm * 54mm
Weight :	47.3g / 1.67oz (without battery)

## K3T

### High Output Tactical Pen Light



K3T is the tactical upgrade of our beloved pen light K3 with a lot of professional input. It has 2 configurable modes by a simple twist in the head: set on Tactical mode will only offer a full 215lm output momentary or constant clicked; or set on Duty which allows user to cycle from 7-65-215lm brightness. Comes with a rugged clip that retains itself on the pocket edge and easy to pull. Runs on 2 AAA batteries, easy to refill and carry.

**Tactical Mode:** Momentary - High

**Duty Mode:** Low - Medium - High

FEATURES

- \* Lightweight and compact
- \* 2 mode configurable:
- Tactical (max output) and Duty (3 light setting)
- \* CREE<sup>®</sup> XP-G3 54 LED, max output 215lm



215 LUMENS

## K2

### AA LED Flashlight

S.B.S.

The K2, at a total length of only 3.11", is lightweight with a durable body clip. The 65-lumen K2 is housed in an aerospace grade aluminum body, with a refined stainless steel head, making it ideal for everyday use.

FEATURES

- \* Compact size
- \* Stainless steel clip for convenient transport
- \* 5 practical modes: 65 / 30 / 7 lumens, Strobe and S.O.S.
- \* Anti-rolling structure and water resistant



65 LUMENS

F.L.I STANDARD K3T



F.L.I STANDARD K2



K3T

LED :	CREE <sup>®</sup> XP-G3 54 LED	K2	CREE <sup>®</sup> XP-02 P3
Mode :	71m / 65lm / 215lm / strobe		65lm / 30m / 7m / strobe / S.O.S.
Runtime :	8h / 3h / 35min / -		90min / 4h30min / 15h / - / -
Beam distance :	70m / 229.7'		60m / 196.8'
Water resistance :	IPX-7 (1m)		IPX-4
Impact resistance :	1m / 3.28'		1m / 3.28'
Battery :	2*AAA (included)		1*AA (included)
Dimensions :	138mm * 16mm * 54mm		78mm * 18.7mm * 17.8mm
Weight :	32g / 1.13oz (without battery)		32g / 1.13oz (without battery)



## Dr.K3

### Flashlight Designed For Clinical Use

RDG, RA-90, CCT5000K

NEXTORCH is proud to announce another Pro's Light member - the first NEXTORCH: medical flashlight, Dr. K3. The initiative kick started when a customer who also happens to be a doctor came to us requesting a "perfect doctors light". Equipped by light color full spectrum daylight while 5000 Kelvin with CRI RA >90% (Color Rendering Index over 90%) revealing over 90% of the subject detail, and a photobiological safety of blue light hazard exempted RDG rating, Dr. K3 has met the challenge and finally made its debut to enlighten medical professionals all over the world.

- FEATURES**
- Blue hazard rated exempted, RDG
  - Color rendition (CRI) RA>90
  - Full spectrum daylight alike
  - color temperature, CCT = 5000K



70  
LUMENS

## K3

### Ultra Bright 2 AAA LED Penlight

Our best-selling NEXTORCH: K3 Clip-and-Go penlight is powered by two AAA batteries, continuing the NEXTORCH: tradition of compact design for daily use. The feedback on the K3 from customers is outstanding. Maintenance personnel, mechanics, and those who use it for personal every day activities, swear by this model, calling it the brightest, toughest, sleekest and reliable pen light they have ever used. The K3 produces an extremely powerful 180 lumens, with four selectable modes and 38 hours max runtime.

- FEATURES**
- Compact structure and lightweight
  - Durable stainless steel clip, easy for everyday carrying
  - 4 Modes with Smart Memory
  - Mode technology



180  
LUMENS

FLI STANDARD	DR. K3
LED	CREE® XP-G2 R5
CRI	RA>90
CCT	5000K
Photobiological safety	RG0 (Blue light hazard exempted)
Runtime:	15h
Illuminance:	980lux at 20cm
Water resistant:	IPX-7 (1m under water)
Battery:	1*AAA (1.5v)
Dimensions:	122mm * 14.3mm * 12.8mm
Weight:	38.5g / 1.36oz (without battery)

FLI STANDARD	K3
LED	CREE® XP-G2 R5
Mode:	180lm / 25m / strobe
Runtime:	28min / 4h20min / 38h / -
Beam distance:	98.5m / 165.4'
Water resistance:	IPX-4
Impact resistance:	1m / 3.28'
Battery:	2*AAA (included)
Dimensions:	150mm * 13.8mm * 12.4mm
Weight:	25g / 0.88oz (without battery)

FLI STANDARD	K3
LED	CREE® XP-G2 R5
Mode:	65lm / 20m / strobe
Runtime:	1h10min / 15h20m / 38h
Beam distance:	73m / 239.5'
Impact resistance:	1m / 3.28'
Battery:	1*AA (included)
Dimensions:	82.7mm * 13.1mm * 17.7mm
Weight:	25g / 0.88oz (without battery)

## GL10

### USB Rechargeable LED Keychain Light

The GL10 USB rechargeable LED keychain light is lightweight, mini-sized, and no bigger than a stick of chewing gum! Weighing only 13g, the compact and lightweight GL10 has a built-in rechargeable Li-ion battery, rechargeable up to 500 times, making it economical and environmentally-friendly. The stainless steel key ring hitches to your backpack, keys or other items for everyday carrying.



- FEATURES**
- USB rechargeable
  - with key ring for everyday carry
  - \* 18 lumen output, with 3 modes, and runtime up to 50 hours



LED:	NICHIA LED
Mode:	18 lm / 2.1m / strobe
Runtime:	3h30min / 50h / -
Beam distance:	10m / 52.49'
Water resistance:	IPX-4
Impact resistance:	1m / 3.28'
Battery:	Built-in Rechargeable Li-ion battery
Dimensions:	50mm * 24mm * 8.5mm
Weight:	13g / 0.46oz (with battery)



18  
LUMENS

## K10/K20

### AAA/AA LED MINI LIGHT

Our new K10/K20 series of LED mini lights are compact, sleek, fashionable and a must-have for daily use. The stainless steel key ring hitches to your backpack, keys or other items for everyday carrying. Utilizing the most advanced LED technology, the K10/K20 series produces efficiently bright output and comes equipped with a unique SLIDE SWITCH, making one-handed operation a snap. The K10/K20 mini lights are the convenient and necessary addition to your everyday accessories.

- FEATURES**
- \* Easy to operate SLIDE SWITCH
  - Compact and lightweight, with key ring for everyday carry
  - Convenient and economical AAAAA battery



K10  
65 LM, 3 modes

K20  
130 LM, 3 modes

FLI STANDARD	K10
LED	CREE® XP-G2 R5
Mode:	65lm / 20m / strobe
Runtime:	1h40min / 9h50min / 3h30min
Beam distance:	40m / 113.123'
Impact resistance:	1m / 3.28'
Battery:	1*AAA (included)
Dimensions:	68mm * 15mm * 13.6mm
Weight:	13g / 0.46oz (without battery)

FLI STANDARD	K20
LED	CREE® XP-G2 R5
Mode:	130lm / 25m / strobe
Runtime:	1h10min / 15h20m / 38h
Beam distance:	73m / 239.5'
Impact resistance:	1m / 3.28'
Battery:	1*AA (included)
Dimensions:	82.7mm * 13.1mm * 17.7mm
Weight:	25g / 0.88oz (without battery)

FLI STANDARD	K10	K20
LED	CREE® XP-G2 R5	CREE® XP-G2 R5
Mode:	65lm / 20m / strobe	130lm / 25m / strobe
Runtime:	1h40min / 9h50min / 3h30min	1h10min / 15h20m / 38h
Beam distance:	40m / 113.123'	73m / 239.5'
Impact resistance:	1m / 3.28'	1m / 3.28'
Battery:	1*AAA (included)	1*AA (included)
Dimensions:	68mm * 15mm * 13.6mm	82.7mm * 13.1mm * 17.7mm
Weight:	13g / 0.46oz (without battery)	25g / 0.88oz (without battery)

# H-SERIES

NEXTORCH<sup>®</sup> H-Series allow user to go totally hands free. The H-series head lamps are made to fit different missions, built with smart brightness setting, versatile features, and light weight construction. As mentioned, they are reliable and ergonomically designed illumination products.



## myStar



### Focus Adjustable Rechargeable Head Lamp

NEXTORCH<sup>®</sup> myStar is a cutting edge light-weight rechargeable hands-free solution. Equipped with NEXTORCH<sup>®</sup> patented Fresnel lens, myStar achieves focus shift by simple rotation, meeting varied needs of close to distant field of view at night. The whole system is unbelievable light-weight and comfortable for long-time wearing. High volume lithium-ion battery pack ensures the high performs. A integrated red beacon on the battery pack functions as a safety feature, plus the built-in micro USB charging port facilitating convenient charging.



reddot award 2016  
winner

550  
LUMENS



2 Colors  
Available

**360° ROTATE**  
• 360° Rotate Focus technology  
• Ultra-bright 550 lumen output,  
max runtime of 63 hours  
• Built-in micro USB charging port  
• Ergonomically designed head band  
for comfortable long time wearing



LED:	CREE <sup>®</sup> XP-L V5
Mode:	550lm / 200m / 20m / S.O.S.
Runtime:	4h30min / 7h25min / 63h / -
Beam distance:	184m / 603.7'
Water resistance:	IPX-4
Impact resistance:	1m / 3.28'
Battery:	Built-in Rechargeable 3000mAh Battery (included)
Dimensions:	Light body: 37mm * 31mm * 37mm Battery pack: 57mm * 23mm * 78mm
Weight:	168g / 5.96oz (included battery)

## DUO STAR



### High Output Dual-Light Professional Headlamp

DUO Star is a multi-purpose headlamp powered by NEXTORCH<sup>®</sup> DUAL-LIGHT technology. This headlamp carries two full-scale LED rendering a desirable brightness and multiple outputs. It has the same partial pressure headband design as myStar which aids long wear comfort, the same 3000mAh built-in Li-ion battery pack which lasts, and the same safety beacon integrated in the back. Micro USB direct charging, can be charged while under use.

\* Currently offered in white light and UV configuration, optional Red, Green, Blue, IR and Neutral White as well as free combination of any two are subject to custom orders. For custom order, please contact us at service@nextorch.com



400  
LUMENS

FEATURES

- Patented 360° rotation design to shift for in between different light source freely
- Built-in high volume Li-ion battery with speed charging
- Integrated beacon for safety applications
- USB direct charging, can also be powered by cellphone charger as well as battery packs

360° rotate shift  
for different light



## VIKER STAR

S.O.S.

### High Output Multi-Mode LED Headlamp

FEATURES

- 225 lumen max output, 47 hours max runtime
- Battery placement in the back for maximum comfort
- 90 degree angle adjustable multi-direction lighting
- Magnetic control switch, waterproof



225  
LUMENS

#### FLI STANDARD DUO STAR



LED:	CREE <sup>®</sup> XB-H LED / 405nm UV LED
Mode:	400lm / 130m / 7m / S.O.S.
Runtime:	5h / 8h / 100h / -
Beam distance:	170m / 557.7'
Water resistance:	IPX-4
Impact resistance:	1m / 3.28'
Battery:	Built-in Rechargeable 3000mAh Battery (included)
Dimensions:	44mm * 46mm * 76mm
Weight:	184g / 6.49oz (without battery)

#### FLI STANDARD VIKER STAR



LED:	CREE <sup>®</sup> XP-G2 R5 LED
Mode:	225lm / 20m / S.O.S.
Runtime:	5h / 47h / -
Beam distance:	120m / 393.7'
Water resistance:	IPX-4
Impact resistance:	1m / 3.28'
Battery:	Built-in Rechargeable 3000mAh Battery (included)
Dimensions:	37mm * 28mm * 40mm
Weight:	112g / 3.95oz (without battery)

## TREK STAR

S.O.S.

### Ultra Bright Multi-Mode LED Headlamp

The Trek Star is our new lightweight ultra bright multi-mode LED headlamp, with a max output of a powerful 220 lumens. At less than half the weight of ordinary headlamps and multi-mode capability, including white and red LED output. The Trek Star withstands temperatures between -25°C to 60°C (-13°F to 140°F) and comes in your choice of 6 colors. The Trek Star is the perfect choice for outdoor and industrial usage.



6 Colors Available

#### FEATURES

- \*White LED provides max output, red LED provides gentler light for reduced eye strain
- \*220 lumen max output, max runtime 68 hours
- \*Hidden S.O.S. mode, initiated at a touch

#### FLI STANDARD



220 LUMENS

LED :	1*White LED, 2*Red LEDs
Mode :	220lm / 92lm / 9 lm / RED / S.O.S.
Runtime :	2h30min / 9h / 98h / 92h / -
Beam distance :	73m / 239.5f
Water resistance :	IPX-4
Impact resistance :	1m / 3.28'
Battery :	3*AAA (included)
Dimensions :	55mm * 38mm * 32mm
Weight :	49g / 1.72oz (without battery)

## ECO STAR

S.O.S.

### Lightweight Multi-Mode LED Headlamp

The Eco Star is a lightweight multi-mode LED headlamp. It weighs only 36g (without battery), 61g (with 3\*AAA batteries), and is comfortable to wear. It meets a wide variety of lighting requirements with its white and red LEDs and 3 practical modes. The Eco Star will satisfy your outdoor and industrial lighting demands.



6 Colors Available

#### FEATURES

- \*Lightweight, comfortable to wear
- \*49 lumen max output, max runtime 105 hours
- \*3 modes with Smart Memory Mode technology
- \*Hidden S.O.S. mode, initiated at a touch

#### FLI STANDARD



48 LUMENS

LED :	2*White LEDs, 1*Red LED
Mode :	48lm / 6lm / RED / S.O.S.
Runtime :	8h / 49h / - / -
Beam distance :	16m / 52.4f'
Water resistance :	IPX-4
Impact resistance :	1m / 3.28'
Battery :	2*AAA (included)
Dimensions :	54mm * 42mm * 21mm
Weight :	36g / 1.34oz (without battery)

## TREK STAR UV

S.O.S.

### Ultra Bright White & UV LED Headlamp

The Trek Star UV is our new lightweight ultra bright multi-mode LED headlamp, with a max output of a powerful 140 lumens. At less than half the weight of ordinary headlamps and multi-mode capability, including white and red LED output, preset with four lighting modes, our Smart Memory Mode technology remembers your mode preference. The Trek Star UV withstands temperatures between -25°C to 60°C (-13°F to 140°F) and comes in your choice of 6 colors. The Trek Star UV is the perfect choice for outdoor and industrial usage.



140 LUMENS

#### FEATURES

- \*UV LED used for finding scorpions, detecting false currency and crime scene analysis
- \*White LED used for hiking, climbing, camping, general maintenance and everyday activities
- \*140 lumen max output, max runtime 150 hours
- \*4 modes with Smart Memory Mode technology
- \*Hidden S.O.S. mode, initiated at a touch

#### FLI STANDARD



LED :	1*White LED, 2*UV LEDs
Mode :	140lm / 75lm / 6 lm / UV light / S.O.S.
Runtime :	4h30min / 12h / 150h / - / -
Beam distance :	60m / 196.85'
Water resistance :	IPX-4
Impact resistance :	1m / 3.28'
Battery :	3*AAA (included)
Dimensions :	55mm * 38mm * 32mm
Weight :	49g / 1.72oz (without battery)

## ECO STAR UV

S.O.S.

### Lightweight White & UV LED Headlamp

Eco Star UV is our new lightweight White & UV LED headlamp. The UV LED is specially designed for finding scorpions, detecting fraudulent currency, passports and IDs, crime scenes analysis and hunting. Preset with three lighting modes, our Smart Memory Mode technology remembers your mode preference. With a max output up to 30 lumens and up to 105 hours runtime, the ECO STAR UV will satisfy your lighting demands.



30 LUMENS

#### FEATURES




- \*UV LED used for finding scorpions, detecting false currency and crime scene analysis
- \*White LED used for hiking, climbing, camping, general maintenance and everyday activities
- \*30 lumen max output, max runtime 105 hours
- \*3 modes with Smart Memory Mode technology
- \*Hidden S.O.S. mode, initiated at a touch

#### FLI STANDARD



LED :	2*White LEDs, 1*UV LED
Mode :	30lm / 5 lm / UV light / S.O.S.
Runtime :	9h / 105h / - / -
Beam distance :	30m / 98.43'
Water resistance :	IPX-4
Impact resistance :	1m / 3.28'
Battery :	2*AAA (included)
Dimensions :	54mm * 42mm * 21mm
Weight :	36g / 1.34oz (without battery)

## Anti-glare design

**B10** (BLACK)

4\*AA High Output Bike Light With Rectangular Spot  
Designed for urban city and around-town commuting



## RECTANGULAR SPOT LENS TECHNOLOGY

Designed for optimal brightness and efficiency, delivers a powerful wide beam and whole-road lighting for greater visibility.



CHINA OUTDOOR INDUSTRY  
ANNUAL AWARDS



## FEATURES

- \* Patented RSL™ (Rectangular Spot Lens) technology, delivering a 160 degree wide beam and whole-road lighting for greater visibility
- \* The anti-glare design allows distinguishing the areas to be lit and those to be left dark, illuminating the road without disturbing pedestrians
- \* 4 modes, max output up to 420 lumens powered by 4AA batteries
- \* The bracket that allows you to quickly and easily attach the B10 to virtually any handlebar

The NEXTORCH® B10 is a perfect light for riding, urban city and around-town commuting. It features patented RSL™ technology to provide a unique rectangular spot, delivering a 160 degree wide beam and whole-road lighting for greater visibility to guarantee rider's comfort and safety. The anti-glare design allows distinguishing the areas to be lit and those to be left dark, illuminating the road without disturbing pedestrians. The B10 has 4 modes, max output up to 420 lumens powered by 4AA batteries. A low battery indicator keeps you from getting caught in the dark. The bracket that allows you to quickly and easily attach the B10 to virtually any handlebar.

LED :	CREE® XP-G2 S2 LED
Mode :	420lm / 245lm / 93lm / S.O.S.
Runtime :	1h52min / 5h21min / 22h ±
Beam distance :	75m / 246.0ft
Water resistance :	IPX-6
Impact resistance :	1m / 3.28'
Battery :	4*AA (included)
Dimensions :	100mm * 97mm * 34mm
Weight :	160g / 5.64oz (without battery)

## FLI STANDARD



420  
LUMENS

**GLO-TOOB®**

Born to challenge the harshness of maritime and submerged operations, GLO-TOOB® is one of its kind. This beacon-shaped light gives out clear signaling even in the darkest waters. With 5 different colors and IR mode available, GLO-TOOB® lights up a safe passage.



GT-AAA



GT-AAA Pro.



GT-LITHIUM



GT-LITHIUM IR



## GT-TACTICAL KIT

- \* Designed to work with Ops-Core ARC rail
- \* MOLLE/PALS webbing base plate, fits any 1" webbing
- \* Velcro attaching option provided
- \* Quick don-and-doff operation

	GT-AAA	GT-AAA Pro.	GT-LITHIUM	GT-LITHIUM IR
Number of Modes	3 Modes	3 Modes	11 Modes	11 Modes
Battery Type	1*AAA	1*AAA	1*CR123A	1*CR123A
Colors Available				
Runtime	4-15 h	5.5-27 h	24-100 h	20-80 h
Depth Rating	60m (200 ft)	200m (656 ft)	3500m (11500 ft)	3500m (11500 ft)
Dimensions	75mm * 19mm	71mm * 19mm	80mm * 24mm	80mm * 24mm
Weight	34g / 1.2oz	36g / 1.38oz	62g / 2.18oz	62g / 2.18oz

# HUNTING SET

Where everything is provided to make one-stop shopping

## P5G SET



White and Green DUAL-LIGHT USB Direct Charging Flashlight Set

### ACCESSORIES INCLUDED

RMB5 scope mount  
TSS-L Remote pressure switch  
1\* 18650 battery



reddot award 2016  
winner

FEATURES

- \* Dual-Light technology, white/green combination
- \* Micro USB direct charging
- \* Fits scope diameter 25.8-30mm, fits flashlight diameter 20mm-28mm



White  
800  
LUMENS

Green  
200  
LUMENS

## PA5 SET



360° Rotate Focus Adjustable USB Rechargeable Flashlight Set

### ACCESSORIES INCLUDED

RMB5 scope mount  
TSS-L Remote pressure switch  
Red/Green/Blue Filter with holder  
1\* 18650 battery

FEATURES

- \* Powered by 1x 18650 or 2x CR123A
- \* DUC Switch multi-purpose technology operates in 2 modes, plus Tactical Strobe and an S.O.S.
- \* USB Charging Port with LED indicator



660  
LUMENS

	P5G SET	PA5 SET	T6G SET
LED :	CREE® XP-L V5 LED/XP-E2 GREEN LED	CREE® XP-L Neutral White Light LED	CREE® XM-L2 U2
Mode :	800lm / 45lm / strobe / S.O.S. / 200lm(Green)	900lm / 30lm / strobe / S.O.S.	1040lm / 530lm / 520lm / 60lm / strobe / S.O.S.
Runtime :	3h38min / 27h / - / - / 5h01min	3h10min / 23h / - / -	1h / 1h30min / 3h / 10h / -
Beam distance :	246m / 807.1'	270m / 885.8'	285m / 935.04'
Water resistance :	IPX-4	IPX-4	IPX-8 (2m)
Impact resistance :	1m / 3.28'	1m / 3.28'	3m / 9.84'
Battery :	2*CR123A / 1*18650 (included)	2*CR123A / 1*18650 (included)	2*CR123A (included) / 1*18650
Dimensions :	185mm * 40mm * 28mm	146mm * 34mm * 26mm	147mm * 34mm * 25.4mm
Weight :	185g / 6.53oz (without battery)	147g / 5.19oz (without battery)	124g / 4.37oz (without battery)

## TA40 Rechargeable Set

1040 Lumen Ultra Bright Tactical Flashlight



### ACCESSORIES INCLUDED

RMB5 scope mount or RM25 rail mount  
TSS-L Remote pressure switch  
2\* CR123A batteries

FEATURES

- \* Max output up to 1040 lumens
- \* 7 modes for the most common tactical flashlight applications
- \* Powered by two CR123A lithium batteries or one ultra-high capacity 18650 li-ion battery, includes charging port for direct charging
- \* DUC SWITCH with "Click and tag" function for easy momentary activation or mode switching



1040  
LUMENS

## T6L SET

Supreme Tactical LED Flashlight Set

### ACCESSORIES INCLUDED

Rm81 shotgun mount  
TSS-L Remote pressure switch  
V96 Additional Xenon bulb  
2\* CR123A batteries

FEATURES

- \* 320 lumen high output
- \* 10m water-proof
- \* 1m shock-proof



320  
LUMENS

## T6G SET

White and Green LED Flashlight Set

### ACCESSORIES INCLUDED

RMB5 scope mount  
TSS-L Remote pressure switch  
LB6G Green light bulb  
2\* CR123A batteries

FEATURES

- \* 350 lumen high output
- \* 10m water-proof
- \* 1m shock-proof



350  
LUMENS

	TA40 SET	T6L SET	T6G SET
LED :	CREE® XM-L2 U2	CREE® XP-G2 R5 LED	CREE® XP-G2 R5 LED
Mode :	1040lm / 530lm / 520lm / 60lm / strobe / S.O.S.	320lm	350lm(White) / 200lm(Green)
Runtime :	1h / 1h30min / 3h / 10h / -	1h40min	1h40min
Beam distance :	285m / 935.04'	143m / 469.16'	143m(White) / 165m(Green)
Water resistance :	IPX-8 (2m)	IPX-8 (10m)	IPX-8 (10m)
Impact resistance :	3m / 9.84'	1m / 3.28'	1m / 3.28'
Battery :	2*CR123A (included) / 1*18650	2*CR123A (included)	2*CR123A (included)
Dimensions :	147mm * 34mm * 25.4mm	129mm * 26mm * 34mm	129mm * 25mm * 34mm
Weight :	124g / 4.37oz (without battery)	115g / 4.03oz (without battery)	115g / 4.03oz (without battery)

# ACCESSORIES



## TACTICAL HOLSTER

### ADAPTIVE POLYMER HOLSTER

360 degree rotatable  
Quick draw feature with a lever side lock mechanism  
Fits belts 2" width or lower  
For TA30, TA15, TA5, PA5, P5 DUAL LIGHT,  
TA40, T6A, myTorch S 18650, myTorch S XL  
Or any flashlight diameter is between 1"-1.25"



## V1 / V2

### DURABLE NYLON HOLSTER

V1: For TA30, TA15, TA5, PA5, P5 DUAL LIGHT,  
TA40, T6A, myTorch S 18650, myTorch S XL

V2: For myTorch S 2AA



## 18650 CHARGER KIT

2600mAh 18650 Rechargeable  
Lithium-ion battery with In-car & Direct Chargers  
For TA30, TA15, TA5, PA5, P5 DUAL LIGHT,  
TA40, TA4, TA40 SET, TA3 SET, Saint Torch 1



## 3400mAh/2600mAh 18650

3.7V 3400mAh / 2600mAh Rechargeable Li-ion  
Battery with over-charger / over-discharge  
protection circuit compatible  
For 18650 flashlights



## FT32

Filter Kit with Holder:  
Red / Green / Blue  
For TA40, TA3, T6A



## L66 R5

CREE™ XP-G2 R5 LED Upgrade - single Output  
Max output 320 lumens  
For T6A



## UC4

TA4 USB Charger Cable  
40cm (15.8ft) in length  
For TA40



## TS4-L

REMOTE SWITCH  
40cm (1.58") in Length  
For TA40



## TS6-L

REMOTE SWITCH  
40cm (15.8") in Length  
For T6A



## Glo-Toob Tactical Kit

Designed to work with Ops-Core ARC rail  
MOLLE/PALs webbing base plate, fits any  
1" webbing  
Velcro attaching option provided  
Quick don-and-doff operation



## RM85

Quick Tighten / Release Scope Mount  
Fits flashlight body size:  
20mm-26mm (0.79"-1.1")  
Fits Scope body size:  
25.6mm-30mm (1.0"-1.18")  
For TA30, TA15, TA5, PA5, TA40, T6A,  
P5 DUAL LIGHT, myTorch S 18650



## RM25

25mm (1") Picatinny Weaver Gun Mount  
For TA30, TA15, TA5, PA5, TA40, T6A,  
P5 DUAL LIGHT, myTorch S 18650



## HM1

Quick Attach / Release Helmet  
Mount 360 Angle Rotatable  
Fits flashlight body size:  
18mm-35mm (0.71"-1.38")  
For TA30, TA15, TA5, PA5, TA40, T6A,  
P5 DUAL LIGHT, myTorch S 18650



## BM1

Quick Tighten / Release Bike Flashlight  
Mount 360 Angle Rotatable  
Fits flashlight body size:  
23mm-28mm (0.9"-1.1")  
Fits Steel pipe size:  
22mm-25.6mm (0.87"-1.0")  
For TA30, TA15, TA5, PA5, TA40, T6A,  
P5 DUAL LIGHT, myTorch S 18650



# DISPLAYS



Flashlight  
Point-Of-Sale Display



Saint Torch  
Point-Of-Sale Display



H Series Counter Stand 1



GLO-TOOB® Point-Of-Sale Display



UL360 Counter Stand



T/P Series Counter Stand



H Series Counter Stand 2



myTorch Counter Stand



Point-Of-Sale Display



Instant-Info Lightning  
Counter Stand



GLO-TOOB® Counter Stand

# NEXTORCH®

Proud to be a voting member of



The Portable Lights American Trade Organization (PLATO) was formed by companies involved in the manufacturing and selling of portable lighting tools to promote the interests of the industry and the common business interests of the companies that comprise this industry. It is the first trade association of its kind in the portable lighting industry. PLATO will help move the industry forward by performing a variety of functions, including:

- Help enforce the accurate and transparent use of industry standards, such as the ANSI/NEMA FL-1 Standard
- Assist in developing other industry product and safety standards
- Help guard against false advertising and similar unfair trade practices in the industry
- Provide an educational forum for members and supply educational materials
- Represent the industry to the public and to the government



## THE ANSI-NEMA STANDARD

The USA National Electrical Manufacturers Association (NEMA) publishes the ANSI/ NEMA FL 1-2009 Flashlight Basic Performance Standard, the first and most recognized flashlight industry standard. It introduces definitions and testing methods for flashlight basic performance as well as associated marking. NEXTORCH® products strictly follow and support the ANSI NEMA Standard guidelines, guaranteeing exceptional product quality.

ANSI-American National Standard Institute NEMA-National Electrical Manufactures Association



Total Light Output  
(Lumens)



Maximum Run Time  
(Per fresh set of batteries)



Beam Distance  
(1 meter = 1.1 yards = 3.3 feet)



Peak Beam Intensity



Impact Resistant Height  
(Drop-tested onto concrete from this height without damage to function)



Extreme Weather Resistance  
(Rain / Storm / Wind)



Waterproof  
(Submersible to this depth for 30 minutes without damage)

## THE NEXTORCH. NO-HASSLE PROMISE

We keep your NEXTORCH. flashlights running smoothly

Our professional designers and engineers are provided with advanced and comprehensive testing equipment in our onsite Test Lab. Testing procedures follow ANSI standard to provide reliable indoor testing results. We also conduct outdoor tests and reviews, and carry out field usage "beta testing" with professional and amateur flashlight enthusiasts. Our products are put through the grind, from everyday use to the toughest environments. Our products are given a thorough inspection before they are delivered to our customers for tasks varying from routine and repetitive to critical and urgent.

### NO HASSLE GUARANTEE

NEXTORCH. warrants that if you, our customer, has a defective unit due to manufacturing and/or workmanship, we will repair or replace it quickly and for free. That's a lifetime guarantee. Exceptions noted below.

Chargers and rechargeable batteries are covered within one year from the date of purchase.

Our warranty does not cover consumables or normal wear-and-tear, or damage resulting from abuse, alterations, unauthorized repairs, or contrary to NEXTORCH's user manuals.

To help protect your investment, NEXTORCH. offers reasonable rates to repair damage to our products not covered by our warranty. You will be provided with a quote for approval before work begins.

### WARRANTY CLAIMS

NEXTORCH. will repair or replace any defective NEXTORCH. flashlight, please contact your local dealer or send an email to info @nextorch.com (for international outside the USA) or usa@nextorch.com (within the USA).

### WARRANTY DISCLAIMER

The above warranty is exclusive, and to the extent permitted by applicable laws, shall be in lieu of all other warranties, express or implied, including, without limitation, any warranty of merchantability or fitness for a particular use or purpose. NEXTORCH. disclaims any and all liability for product malfunctions. Physical injuries, or property damage that result in a whole, or in part, from the criminal, negligent, or improper use of the product, or from modifications or alterations thereto. In no event shall NEXTORCH. be held liable for any incidental, special, or consequential damages relating to the purchase, use, or performance of any NEXTORCH. product.